


Cattleya

KAT-lee-uh



The Corsage Orchid

Cattleyas are among the most commonly grown orchids, and their culture is often used as the basis for comparison with other types of orchids. Like most other cultivated orchids, cattleyas are epiphytes, or air plants. They have well-developed water-storage organs (called pseudobulbs) and large, fleshy roots. They should be potted in a porous, free-draining medium. The most commonly used are fir bark, shredded tree-fern fiber, various types of rock, processed coconut fiber and, lately, mixes based on peat moss and perlite. Keep out of cold, dry air while in bloom.

LIGHT

Sufficient light is important for healthy growth and flower production.

PROVIDE Bright light, some sun. In the home, an east, west or lightly shaded south window. In a greenhouse, about 30 to 50 percent full sun. Under lights, four 40 watt fluorescent tubes and two 40 watt incandescent bulbs directly over plants. Plants should be naturally erect, without need of much staking, and of a medium olive-green color. Dark green, limp foliage indicates too little light.

TEMPERATURE

Mature plants need a 15 to 20 F difference between night and day.

PROVIDE Nights of 55 to 60 F; days of 70 to 85 F. Cattleyas can tolerate temperatures up to 95 to 100 F if shading, humidity and air circulation are increased. Seedling cattleyas need temperatures five to 10 degrees higher than mature plants.

WATER

Mature plants must dry out between

waterings. Seedlings need more-constant moisture.

HUMIDITY

Cattleyas need 50 to 60 percent. In the home, place on trays over moistened pebbles. In greenhouse, use a humidifier if conditions are too dry.

FERTILIZER

Must be provided on a regular basis because most potting media have little.

PROVIDE The exact fertilizer you use will depend on the mix in which your plant is growing. A good general rule is to use a balanced (10-10-10, 12-12-12 or similar ratio) fertilizer "weakly, weekly." That is, fertilize every week at one quarter to one half of the recommended dilution.

POTTING

Should be done every two to three years in spring before mix loses consistency (breaks down). Pot firmly in media that have good aeration and ample drainage, allowing enough room for two years' growth.

The American Orchid Society is the world's leading provider of information about and related to orchids. We invite you to join us and learn about the world's most fascinating flowers and plants. Your membership entitles you to our monthly award-winning magazine *Orchids*, a free copy of our cultural handbook *Your First Orchid* and the *AOS Almanac*, a ten-percent discount on items purchased

through The AOS BookShop, and access to the largest pool of orchid experts ever assembled. All this and much more can be yours as a member of the AOS.

American Orchid Society
6000 South Olive Avenue
West Palm Beach, Florida 33405-4199
561-585-8666 Fax 561-585-0654
e-mail TheAOS@compuserve.com
WWW <http://orchidweb.org>